



L Number	Hits	Search Text	DB	Time stamp
1	143	("product database" and ("product code" or	USPAT;	2003/01/13 10:48
		"product identifier" or "bar code")) and	US-PGPUB;	
		assign\$ and compar\$ and receiv\$	EPO; JPO;	
			DERWENT;	
	-	////www.dock.dock.ob.a.c.//	IBM_TDB	2002/01/12 10:57
2	1	(("product database" and ("product code"	USPAT;	2003/01/13 10:57
		or "product identifier" or "bar code")) and assign\$ and compar\$ and receiv\$) and	US-PGPUB; EPO; JPO;	
·		"confidence measure"	DERWENT;	
		Confidence measure	IBM TDB	
3	423	"confidence measure"	USPAT;	2003/01/13 10:57
	120		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	, _ ,
6	1	1 ,	USPAT;	2003/01/13 10:58
		(generating with guess)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
7	0	("confidence measure" and guess\$2) and	USPAT;	2003/01/13 11:00
((product near match\$)	US-PGPUB;	2303,01,13 11.00
		, F	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
8	10	("confidence measure" and guess\$2) and	USPĀT;	2003/01/13 11:00
		similarity	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2.1		IBM_TDB	2002/01/12 11.20
4	31	"confidence measure" and guess\$2	USPAT; US-PGPUB;	2003/01/13 11:28
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
9	81	generating with guess	USPAT;	2003/01/13 11:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
11	1	((generating with guess) and product) and	USPAT; US-PGPUB;	2003/01/13 11:32
		("confidence measure")	EPO; JPO;	-
			DERWENT;	
			IBM TDB	
10	28	(generating with guess) and product	USPAT;	2003/01/13 11:36
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1.0	_	, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	2002/01/12 11 25
12	1	(generating with guess) and "confidence	USPAT;	2003/01/13 11:36
		measure"	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
13	0	(generating with guess) and "similarity	USPAT;	2003/01/13 11:36
	ľ	measure"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000 /01 /00 11 50
-	2068	(707/104,104.1).CCLS.	USPAT;	2003/01/03 14:52
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1048	((707/104,104.1).CCLS.) and product\$1	USPAT;	2003/01/03 10:42
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	186	(((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier))	USPAT; US-PGPUB;	2003/01/03 10:43
		and (product with (code of identifier))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/01/02 10:44
-	0	((((707/104,104.1).CCLS.) and product\$1) and (product with (code or identifier)))	USPAT; US-PGPUB;	2003/01/03 10:44
		and (product with (code of identifier)) and ((identif\$ and unidentif\$) with	EPO; JPO;	
		product)	DERWENT;	
			IBM_TDB	
-	95	((((707/104,104.1).CCLS.) and product\$1)	USPAT;	2003/01/03 10:45
		<pre>and (product with (code or identifier))) and ((identif\$ or unidentif\$) with</pre>	US-PGPUB; EPO; JPO;	
		product)	DERWENT;	
		P100000)	IBM_TDB	
_	89	((((((707/104,104.1).CCLS.) and product\$1)	USPAT;	2003/01/03 10:45
		and (product with (code or identifier)))	US-PGPUB; EPO; JPO;	
		and ((identif\$ or unidentif\$) with product)) and (compar\$ or match\$)	DERWENT;	
		-	IBM TDB	
-	87	((((((707/104,104.1).CCLS.) and product\$1)	USPAT;	2003/01/03 11:20
		and (product with (code or identifier)))	US-PGPUB; EPO; JPO;	
		and ((identif\$ or unidentif\$) with product)) and (compar\$ or match\$)) and	DERWENT;	
•		data	IBM_TDB	
-	26		USPĀT;	2003/01/03 11:22
		product\$1) and (product with (code or	US-PGPUB;	
		identifier))) and ((identif\$ or unidentif\$) with product)) and (compar\$ or	EPO; JPO; DERWENT;	
		match(s)) and data) and pars(s)	IBM TDB	
-	33		USPĀT;	2003/01/03 16:11
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	5	(((707/104,104.1).CCLS.) and product\$1)	USPAT;	2003/01/06 09:59
		and (generating with product with code)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	237		USPAT;	2003/01/06 10:00
		"product data")) and product\$1	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	38		USPAT;	2003/01/06 10:01
		"product data")) and product\$1) and	US-PGPUB;	
		identifier	EPO; JPO; DERWENT;	
]		IBM TDB	
-	24		USPĀT;	2003/01/06 10:01
		"product data")) and product\$1) and	US-PGPUB; EPO; JPO;	
		database) and identifier	DERWENT;	
			IBM TDB	
-	13		USPAT;	2003/01/06 10:02
		"product data")) and product\$1) and	US-PGPUB;	
		database) and identifier) and compar\$ and assign\$	EPO; JPO; DERWENT;	
		40019117	IBM_TDB	
-	57	((generating with ("product code" or	USPĀT;	2003/01/06 15:54
		"product data")) and product\$1) and	US-PGPUB;	
		database	EPO; JPO; DERWENT;	
			IBM TDB	
-	6		USPAT;	2003/01/11 15:19
		"standardized product code"	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
L		I	1	

_	15	"generating product code"	USPAT;	2003/01/11 15:18
			US-PGPUB;	
			EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
-	1160	database and "product code"	USPAT;	2003/01/06 17:31
			US-PGPUB;	
			EPO; JPO;	}
			DERWENT;	
			IBM TDB	
-	762	(database and "product code") and	USPAT;	2003/01/06 17:33
		((compar\$ or receiv\$) with data)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5		USPAT;	2003/01/06 17:39
		((compar\$ or receiv\$) with data)) and	US-PGPUB;	<u> </u>
		("unknown products" or "unidentified	EPO; JPO;	
İ		product")	DERWENT;	
			IBM TDB	
_	235	((database and "product code") and	USPAT;	2003/01/06 17:40
		((compar\$ or receiv\$) with data)) and	US-PGPUB;	
		(match\$ with data)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	52	(((database and "product code") and	USPAT;	2003/01/10 17:14
ľ		((compar\$ or receiv\$) with data)) and	US-PGPUB;	
		(match\$ with data)) and ("product	EPO; JPO;	
		description")	DERWENT;	
		,	IBM TDB	
_	184	"standardized code"	USPAT;	2003/01/10 17:17
			US-PGPUB;	
			EPO; JPO;	[
			DERWENT;	
			IBM TDB	and the state of t
_	51047	"bar code" or "product code"	USPAT;	2003/01/10 17:18
		Passass state	US-PGPUB;	2003,01,10 1,.10
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	"standardized code" and "raw data"	USPAT;	2003/01/10 17:18
			US-PGPUB;	
			EPO; JPO;	
	ļ	•	DERWENT;	
			IBM TDB	
-	3	("standardized code" and "raw data") and	USPAT;	2003/01/10 17:20
		identif\$	US-PGPUB;	,,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	60	"standardized code" and ((product with	USPAT;	2003/01/10 17:27
		classif\$) or (product with identif\$))	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	("standardized code" and ((product with	USPAT;	2003/01/10 17:28
i		classif\$) or (product with identif\$))) and	US-PGPUB;	
		"confidence measure"	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	"confidence measure" same guess	USPĀT;	2003/01/10 17:28
		· ·	US-PGPUB;	·
			EPO; JPO;	
1			DERWENT;	
	ľ		IBM TDB	
-	238	generating with ("product code" or	USPĀT;	2003/01/11 15:20
]		"product data")	US-PGPUB;	
		· ·	EPO; JPO;	İ
			DERWENT;	
			IBM TDB	
L				

Page 3

_	45	(generating with ("product code" or	USPAT;	2003/01/11 15:21
		"product data")) and (product with	US-PGPUB;	
		database)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	34	((generating with ("product code" or	USPAT;	2003/01/11 15:22
		"product data")) and (product with	US-PGPUB;	
		database)) and ((receiv\$ or input) with	EPO; JPO;	
		data)	DERWENT;	
			IBM TDB	
_	15	(((generating with ("product code" or	USPAT;	2003/01/11 16:06
		"product data")) and (product with	US-PGPUB;	
		database)) and ((receiv\$ or input) with	EPO; JPO;	
		data)) and ((assign\$ or provid\$) same	DERWENT;	
		(product with code))	IBM TDB	
_	942	[' *	USPAT;	2003/01/11 16:06
	312	product addasses	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	255	"product database" and ("product code" or	USPAT;	2003/01/11 16:07
_	233	"product identifier" or "bar code")	US-PGPUB;	2000,01,11 10101
		product identifier of bar code /	EPO; JPO;	
			DERWENT;	
			IBM TDB	
1_	2	(("product database" and ("product code"	USPAT;	2003/01/11 16:27
	_	or "product identifier" or "bar code"))	US-PGPUB;	2000,01,11 1012.
		and assign\$ and compar\$ and receiv\$) and	EPO; JPO;	
		((match\$ with product) same ((assign\$ with	DERWENT;	
		identifier) or (assign\$ with "product	IBM TDB	
		code")))	156-155	
_	E1	(("product database" and ("product code"	USPAT;	2003/01/11 16:59
_	31	or "product identifier" or "bar code"))	US-PGPUB;	2003/01/11 10:39
		and assign\$ and compar\$ and receiv\$) and	EPO; JPO;	
		"product description"	DERWENT;	
		product description	IBM TDB	
_	36	((("product database" and ("product code"	USPAT;	2003/01/11 17:00
	36	or "product identifier" or "bar code"))	US-PGPUB;	2003/01/11 17:00
		and assign\$ and compar\$ and receiv\$) and	EPO; JPO;	
		"product description") and match\$	DERWENT;	
		product description) and match?	IBM TDB	
	1		TOM IND	1